NHPUC GJUN'16AH11:52

NH Public Utilities Commission

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request? Aggregator
Aggregator Batch Number
KE060216
Are you registered in NH Yes No
Aggregator name
Knollwood Energy
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Stewart Coulter

Facility Owner email
scoulter0@gmail.com
Owner Phone
603-854-0336
Facility Address
22 Elizabeth Way
Facility Town/City
Bedford
Facility State
NH
Facility Zip
03110
Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON77874
Date of Initial Operation
11/24/2015
Facility Operator Name, if applicable
Tability Operator Name, il applicable
Panel Make #1
SunEdison
Panel Model
F270
Panel Quantity
17
Panel Rated Output 270

No Ves
Panel Make #2
Panel Model
Panel Quantity
Panel Quantity
Panel Rated Output
More Panel types?
NoYes
Panel Make #3
Parier Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
4590
Inverter Make
Enphase Energy
Inverter Quantity
17
Add'l Inverter Quantity
NA
Additional Inverter Make
None None

Rated Output - Primary Inverter
225
Rated Output - Additional Inverter
System capacity based on single inverter make
3825
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
3.825
Revenue Grade Meter Make
Revenue Grade GIS Approved Meter
AEE SOLAR
Other Meter Name
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Ken Kleczek 13781M
Other Electrician Name & Number
Installation Company
SunRay Solar
Other Installation Company Name
Other Inst. Company Address

Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
SunEdison
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6905826_bgepqMjw_N4263_Coulter_PVCertificate_o

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6905826_zeZ31lib_Coulter_DOER_part_3_-_signed_1-l

Please attach additional document here

Kan Jon

https://fs30.formsite.com/jan1947/files/f-5-173-6905826_3aox9Djt_N4263_Coulter_PV_-_Processed_A

Aggregator statement of accuracy


Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

06/02/2016



Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

Installation Information: Check if ow		
Customer or Company Name (print): Steux	urt Costke	
Contact Person, if Company:		
Mailing Address: 22 Elizabeth (Source and the second	
City: Bedford	_ State: <u>OH</u> _ Zi	p Code: 03110
Telephone (Daytime): 603-854-0336	(Evening):	Scouteracan
Facsimile Number:		
Facility Information:	Eversource Meter #_S	67890157
Address of Facility (if different from above):		
City:	_State:Zip	Code:
Electrical Contractor Contact Information:		1
Electrical Contractor's Name (if appropriate): 500	Pay Solar	
Mailing Address: 129 hall St		
City: Concord	State: XIH Zip	Code: 033 Q 1
Telephone (Daytime): 603 - 225 - 6081	_ (Evening):	
Facsimile Number:	the second secon	adounshine con
License number: 13781m		
Date of approval to install Facility granted by the Com	pany:	
Eversource Application ID number: #N 42 63	**************************************	
Inspection:		
The system has been installed and inspected in compile	guee with the local Building/Electrical C	ode of:
City: Sea Fuel	County HILLS RIAG	
Signed (Local Electrical Wights Inspector, or august sig	med electrical inspection).	
Signature:		
Name (printed): TERRY CARTER	Date:	11/24/15
Customer Certification:		
I hereby certify that, to the best of my knowledge, all in Completion is true and correct. This system has been in standards. Also, the initial start-up test required by Puc	nstalled and shall be operated in complia	nce with applicable
Please remember to provide digital photos of the ins required), the existing Evorsource meters the inverte	tallation, including the AC disconnect	switch (if
Customer Signature:		
As a condition of interconnection you are required to se	nd/fax a copy of this form to:	

Eversource

Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.


The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Stewart Coulter	
Printed Name of signature owner	
Stewart Coulter (May 23, 2016)	
Stewart Coulter (May 23, 2016)	

Signature of system owner



EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

		Eversource	Application Project ID#:	N4263
Contact Information:				
Legal Name and Address of Interconnecting	Custom	er (or, Company nam	ne, if appropriate)	
Customer or Company Name (print): Ster				67777 H
Contact Person, if Company:	care e riseass sees concess, 11 111	AND AND ASSESSMENT ASSESSMENT OF THE PARTY O	A Control of the Cont	0170110111101
Mailing Address: 22 Flizabeth Way				The state of the s
Mailing Address: 22 Elizabeth Way Bedford	State:	NE MANAGEMENT	Zip Code:	03110
Telephone (Daytime): 603-854-0336				
Facsimile Number:				
Alternative Contact Information (e.g., Sy	stem inst	allation contractor or	coordinating company, if a	ppropriate):
Name: SunRay Solar, LLC			AND THE PROPERTY OF THE PROPER	CONTROL OF THE PROPERTY OF THE
Malling Address: 124A Hall Street	and an empty	New Homophica		13201
City: Concerd	States	Man Light Strife	Zip Code:	Section 1
Telephone (Daytime): 603-225-6001 Facsimile Number:	*-1557	ционоправ	Evening):	- (III - II - III - I
Pacsimile Number:		E-Mail Ad	dress: Amanda@spread	thesunshine.com
Mailing Address: 124A Hell Street City, Concord	State:	New Hampshire	Zip Code	03301
Palenhana (Douging), 603-225-6001	Jane.		Euripe)	Adamstry of a paragraphic accessors
Telephone (Daytime): 603-225-6001 Facsimile Number:		E Mail Ad	evening).	shine.com
receine Natioet.		E-Mail Mu	CLESS.	allining Party of the control of the
Facility Site Information:				
Facility (Site) Address: 22 Elizabeth W	lav			
City: Bedford	State:	NH	Zip Code:	03110
Electric				a. in
Service Company: Eversource	Accou	nt Number: 563835	Meter Nu	mber: S67890157
Account and Meter Number: Please consult	an actual	Eversource electric	bill and enter the correct Ac	count Number and Meter
Number on this application. If the facility is				
Eversource Work Request #		To see a second to the second second		
Non-Default' Service Customers Only:				
Competitive Electric				
Energy Supply Company:	test 1 9 aga dhannaan	and and additional tops of the state of the	Account Number:	· Francis Copyright Consequences (1997) The consequences (1997)
Customer's with a Competitive Energy Supp				have a life and the second former to treat a
Supply Company.)	, ,,,,,,,,		The state of the	

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Info	coution;				
Generator/		Model Name	å		
Inverter Manufacturer:	Enphase	Number: mi	15	Quantity	: 17
Nameplate Rating:	225 (kW)	(kVA)	(AC Volts)	Phase: Single	Three
Nameplate Rating: The	AC Nameplate rating of th	e individual inver	ter.		
System Design Capacit	y: 3.825 (kW)	(kVA) Battery Backup: Ye	IS No No	*
System Design Capacit	y: The system total of the in te ratings of all inverters.				stem, this is the
	ably Fueled, will the accou	at he Net Matara	? Yes No		
Prime Mover: Photovo				7 04	
Energy Source: Solar			el Cell Turbine tural Gas Fuel Oil	Other Other	
Inverter-based Gener					
UL 1741 / IBEE 1547.I	Compliant (Refer To Part I	Puc 906 Compilant	e Path For Inverter Units,	Part Puc 906.01 Enverte	r Requirements)
Systems," addresses the submit their equipment term "Listed" is then	I dated May, 2007 or later, e electrical interconnection to a Nationally Recognized marked on the equipmer for manufacturer describing	design of various l Testing Laborato out and support	forms of generating equip ry (NRTL) that verifies o ting documentation.	oment. Many manufact compliance with UL Please include, any doc	urers choose to
Yes No	paneet Switch; sconnect Switch shall be im Hittes, Puc 905.01 Requirem mual Disconnect Switch:	ents For Disconne	et Switches and 905.02 Disc	naical Regulerments For coancet Switch.'	
Project Estimated Install	Date: October 2015	Pr	oject Estimated In-Service	e Date: October 20	15
Interconnecting Custon	ner Signature:				
I hereby certify that, to t	he best of my knowledge, a political Process fatercome	ections attached b	on provided in this applicates:	cation is true and 1 agre	
	e and/ar three-line diagram				
point in relation to the creturned.	ustomer service panel and	the Eversource A	teter socket. Application	s without such a diagr	connection rum may be
		For Eversource	Use Only		manufacture of the second of t
Approval to Install Fac	cility:				
installation of the Facility	y is approved contingent up	on the Terms and	Conditions For Simplific	ed Process Interconnect	ions of this
Agreement, and agreeme	nt to any system modificati	ops, if required.			
Are system modifications	required? Yes No	To be D	etermined		
Company Signature:	Murch	11	Title: 85666	Me Date: 19	6/15
Sversource SPIA rev. 03/14	43 thm c1 I-D Janese at		Title: 1 Stock	Page 2 of 4	omenant of providence of the second

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes 🔳 No 🗌	Date of inspection/Witness Test:
--	----------------------------------

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.4. Mamicipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Justalis Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Owaership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).